IAC Ch 8, p.1

876—8.10 (85B) Apportionment of age-related loss for occupational hearing loss claims.

8.10(1) Effective date. This rule is effective for claims for occupational hearing loss filed on or after July 1, 1998.

8.10(2) *Purpose.* The purposes of this rule are to adopt tables and the method for calculating age-related hearing loss and to adopt a worksheet for apportionment of age-related hearing loss for occupational hearing loss claims.

8.10(3) *Table.* In 1972 the National Institute for Occupational Safety and Health (NIOSH) published the Criteria for a Recommended Standard: Occupational Exposure to Noise (NIOSH Publication No.73-11001). Table B-1, page I-16, provides the Age Corrections Values to be Used for Age Correction of Initial Baseline Audiograms for Males and Table B-2, page I-17, provides the Age Corrections Values to be Used for Age Correction of Initial Baseline Audiograms for Females. These NIOSH tables are used to calculate the correction value for age for males and females for 500, 1000, 2000 and 3000 hertz.

For example, the age correction for a male 21 years of age is 10 decibels at 500 hertz, 5 decibels at 1000 hertz, 3 decibels at 2000 hertz and 4 decibels at 3000 hertz. The correction for age is 5.50 decibels (the sum of 10+5+3+4 divided by 4).

The following table is to be used to determine an employee's age-related change in hearing level during the period of employment. To determine the age-related change in hearing level in decibels during the period of employment, subtract the value shown in the table for the employee's age at the beginning of employment from the value shown in the table for the employee's age on the date of injury.

NOTE: This table should not be used to compute standard threshold shift as required by rules of the Occupational Safety and Health Administration or Iowa occupational safety and health administration.

Age in Years	Correction in dB	
	Males	<u>Females</u>
20 or younger	5.50	7.25
21	5.50	7.75
22	5.50	7.75
23	5.50	8.00
24	5.75	8.00
25	6.00	8.25
26	6.25	8.50
27	6.50	8.75
28	6.75	8.75
29	6.75	8.75
30	6.75	9.00
31	7.25	9.25
32	7.50	9.50
	, 0	7.00

Ch 8, p.2

Age in Years	Correction in dB	
	Males	<u>Females</u>
33	7.50	9.75
34	7.75	9.75
35	8.00	10.00
36	8.25	10.25
37	8.75	10.25
38	8.75	10.50
39	9.00	11.00
40	9.00	11.00
41	9.25	11.25
42	10.00	11.50
43	10.25	11.75
44	10.25	12.00
45	10.50	12.25
46	10.75	12.50
47	11.00	12.50
48	11.50	13.00
49	12.00	13.25
50	12.25	13.50
51	12.25	13.75
52	12.75	13.75
53	13.25	14.25
54	13.50	14.50

IAC Ch 8, p.3

Age in Years	Correction in dB	
	Males	<u>Females</u>
55	14.00	15.00
56	14.25	15.00
57	14.50	15.25
58	15.25	15.75
59	15.50	16.00
60 or older	16.00	16.25

8.10(4) Apportionment. The apportionment of age-related hearing loss shall be made by reducing the total binaural percentage hearing loss as calculated pursuant to Iowa Code section 85B.9(3) by the same percentage as the decibels of age-related change in hearing level occurring during the period of employment bears to the total decibel hearing level in each ear.

Age-related hearing loss is apportioned using the results of the audiogram determined to be the proper audiogram for measurement of the employee's hearing loss on the date of injury by using the following steps:

- 1. Separately for each ear, compute the average of the employee's decibel hearing levels at 500, 1000, 2000, and 3000 hertz for that ear.
 - 2. Separately for each ear, compute the percentage loss for each ear.
- 3. Compute the employee's age-related change in hearing level in decibels during the period of employment using the table in subrule 8.10(3).
- 4. Separately for each ear, divide the result of step 3 by the result of step 1 to compute the age-correction factor for that ear.
- 5. Separately for each ear, multiply the total percentage hearing loss in that ear calculated pursuant to Iowa Code section 85B.9 by the age-correction factor for that ear.
- 6. Separately for each ear, subtract the result obtained in step 5 from the total percentage hearing loss in that ear to obtain the age-corrected hearing loss for that ear.
- 7. Multiply the age-corrected hearing loss in the better ear as calculated in step 6 by 5 and add the percentage hearing loss in the worse ear.
- 8. Divide the result obtained in step 7 by 6 to obtain the age-corrected binaural percentage hearing loss.

Ch 8, p.4

8.10(5) *Worksheet.* The following worksheet is used to calculate the percentage of age-corrected binaural hearing loss.

APPORTIONMENT OF PERCENT HEARING LOSS FOR AGE

	Left Ear Hearing Level	Frequency in Hertz	Right Ear Hearing Level
1.		500	<u></u>
2.		1000	
3.		2000	
4.		3000	
5.		total of lines 1 through 4	
	divide by 4	(divide the "total" by 4)	divide by 4
6.	·	equals average equals	·
	minus 25	subtract "low fence"	minus 25
7.		equals "Excess"	
	multiply by 1.5	multiply % factor	multiply by 1.5
8.		equals % loss each ear	
	(% loss left ear)		(% loss right ear)
9.	Age on date of injury		
10.	Age at beginning of o	employment	
11.			1 0
		correction for age of injury in dB from t	
		minus	
12.		correction for age a	
		equals	
13.		age-related change	
	LEFT EAR		RIGHT EAR
		ed change in hearing level rage hearing level from lin	
		To obtain	
14.		age correction factor	
		aultiply % loss from line 8 be-correction factor from line	
		To obtain	
15.		deduction for age-correction	
		subtract line 15 from line 8	
		To obtain	

IAC Ch 8, p.5

16.	age-corrected percent hearing loss
	BINAURAL PERCENTAGE LOSS
17.	% loss better ear (smaller amount) from line 16, multiplied by 5
	plus

Ch 8, p.6

18	% loss worse ear (larger amount) from line 16
19	equals
	divided by 6
	equals
20	% age-corrected binaural hearing loss

This rule is intended to implement Iowa Code sections 85B.9A and 86.8.